



HONGKONG XIN YUN INDUSTRIAL FELTING CO.,LTD GUANGZHOU EAST FELT BELT MANUFACTURING.,LTD

Road 1th Helong, Baiyun,Guangzhou,China

Email: hkxinyun@hkxinyun.com

www.feltbelteast.com; www.feltbelt.com

L-010 Ironer padding



Item No.	Material	Density	Working temp.	Size
L-011	100% Polyester	900gsm	Below 160°C	W: 3.0m - 4.3m
L-012	Nomex+Polyester		Around 190°C	
L-013	100% Nomex	800gsm	200°C - 260°C	

L-014 Monoturn ironer padding

Item No. : L-014

Material : 100% Polyester, 100%Nomex, Nomex+Polyester





Density: 4000gsm-4200gsm

Size: 3.0 - 4.3m Width

Working temperature: According to material



L-020 Ironer Belt PS:Other special size can be customized.Can ready made belt with hooks and nomex cover.

Picture	Item No.	Material	Density	Size	Working temp.
	L-021	100% Nomex	1200gsm (5mm) 700gsm (3mm) 500gsm (2mm)	150mmW*20mL/roll 200mmW*20mL/roll	below 260°C
	L-022	50% Nomex +50%Polyester	1500gsm (5mm)	150mmW*30mL/roll 200mmW*30mL/roll	180~240°C
	L-023	100% Nomex Chicago Belt		150mmW*100mL/roll	more than 200°C
	L-024	Polyester Iron woven belt	1600gsm	75mmW*100mL/roll 150mmW*100mL/roll 200mmW*100mL/roll	below 160°C




L-030 Guide Tape

Item No.	Material	Width	Length	Working temp.
L-031	100% Polyester	15mm	100m	160°C-180°C
L-032	Nomex + Polyester	19mm	400m	180°C-210°C



L-040 Folding Belt (PS:Can ready made belt with hooks.)

Item No.	Item Name	Material	Size
L-041	Red line cotton belt	100% cotton	2"(50mm)*100m/roll 3"(75mm)*100m/roll
L-044	Blue line anti-static cotton belt	Cotton+anti-static fiber	
L-042	Cotton rubber belt	Rubber+cotton	2"(50mm)*100m/roll
L-043	Elastic belt	Cotton+elastic fiber	




L-041 Cotton belt (red)



L-042 Cotton rubber belt



L-044 Anti-static belt (blue)



L-043 Elastic belt

L-050 Polyester Feeding Belt (PS:Can ready made belt with hooks.)


Item	Material	Density	Thickness	Width	Length
L-051 Feeding polyester belt	100% Polyester	1200gsm	2.5mm	2" (50mm)	20m /roll
L-052 Vacuum feeding belt				3" (75mm)	
	4" (100mm)				
	6" (150mm)				
	8" (200mm)				



L-060 Laundry Belt Fastener

(The wire pin should in additional purchase.)

Item No.	Material	Wire Dia.	Size
L-061 25#	316 Stainless Steel	0.6mm	2"x200pcs/box 3"x200pcs/box 4"x100pcs/box 6"x48pcs/box 8"x48pcs/box 12"x12pcs/box
L-062 1#		1.0mm	6"x24pcs/box 8"x12pcs/box 12"x12pcs/box



L-065 Wire Pin

Item	Material	Size
L-065 Wire Pin	Nylon	1.6mm*30m/roll
	Silicone+stainless steel wire	



L-063 Matching Moulds

Item No.	Item	Size
L-063	25# mould	100mm, 150mm 200mm, 300mm
	1# mould	200mm, 300mm



L-064 Hydraulic press machine

Item	Size	Feature
25# Belt Fastener Machine	150mm, 200mm, 300mm	Manual Hydraulic press
1# Belt Fastener Machine	200mm, 300mm	
Electric Belt Fastener Machine	150mm, 200mm, 300mm	Electric Hydraulic press (Can be adjusted according to different voltage)

L-066 Seal Tape

Width: 50mm
Length: 2m/roll



L-071 Powder Wax

Feature: particle or flake
50pounds/bucket




L-072 Cleaning Padding

Size: 2.3*3m / 2.3*2.9m



L-073 Stainless Steel Conditioning Cloth

Size: 1.7*1.55m




L-074 Rubber Non-skid Belt * Silicone Belt

Thickness: 2mm
Size: 2" (50mm)*100m/roll




L-075 Rough PVC Belt

Thickness: 5mm
Width: 2" (50mm)
Length: 50 or 100m/roll



L-077 Spring and Steel Velvet

Item Name	Package
Spring	500m/bucket
Steel Velvet	25kg/carton



Spring: galvanization



Steel Velvet

L-078 Rotary Union



Item	Rotary Joint
Size	1", 1 1/4", 1 1/2", 2"
Material	Cast iron and Graphite seals
Temperature	≤300°C
Rotating speed	≤300rpm
Pressure	≤1.2Mpa

L-079 Metal Hoses



Item	Metal Hoses
Material	316 stainless steel
Temperature	800°C
Size	Ø3/4" , Ø1" , Ø1 1/4" , Ø1 1/2" , Ø2"

L-015 Ironing Table Pad

Item No.	Material	Density	Size
L-015	100% Polyester	1000gsm (10mmT)	1.0*30mL
	Fire Resistant Fibre	800gsm (8mmT)	1.5*30mL

